



















More information on the website
radwag.com/it/info,w1,BCI

Bilancia WLY 6/12/PGC/D2



funzioni

- | | | | |
|---|---|--|--|
|  Dosing |  Labelling |  Plus/Minus Control |  Percent Weighing |
|  Totalizing |  Parts counting |  Peak hold |  Formulation |
|  Newton unit measurement |  Statistics |  Checkweighing |  IR sensors |
|  Animal weighing |  Differential weighing |  Packaged Goods Control |  ALIBI Memory |

foglio di calcolo

Metrological parameters	
Capacità massima [Max]	6 / 12 kg
pesata minima	50 g
Divisione	1 / 2 g
intervallo di tara	-12 kg
Intervallo di verifica della bilancia	1 / 2 g
Ripetibilità	1/2 g

Metrological parameters	
linearita	±1/2 g
tempo di stabilizzazione	3 s
Calibrazione	external
Classe OIML	II
Physical parameters	
display	5,7" resistive colour touchscreen
Dimensioni del piatto di pesata	195×195 mm
Packaging dimensions	490×300×150 mm
Peso netto	2,7 kg
Peso lordo	3,6 kg
Construction	
Communication interface	
interfaccia	2×RS232, 2×USB-A, Ethernet, 4 IN / 4 OUT (digital), Wi-Fi
Electrical parameters	
Alimentatore	100 ÷ 240 V AC 50 / 60 Hz
Environmental conditions	
temperatura di lavoro	+15 ÷ +30 °C
Temperatura di stoccaggio	-25 - +70 °C
Umidita atmosferica	10% ÷ 85% RH no condensation

* Wi-Fi® is a registered trademark of Wi-Fi® Alliance.



Accessori

Stampanti di ricevuta
lettore di codici a barre
stampanti per etichette
Cavo di alimentazione con spina per accendisigari
tavoli antivibranti per bilance industriali
Hub USB
Display
cavi IN/OUT

tastiera, interruttori esterni
Supporto, set di montaggio a muro e braccetti di montaggio
Pesi standard F1 - cilindrico, set
AP2-1 Power loop output
Cavo seriale RS 232, RS 485
RS 232 – USB Converter
Cavo seriale RS 232 (connessione bilance - Stampanti EPSON)

software


Sistema E2R
Audit Trail Reader
RADWAG Connect
RADWAG Remote Desktop
Studio di sviluppo RADWAG
Editore per sistemi di pesatura 2.0

RAD-KEY
Driver LabVIEW
Editore di etichette R02
R-LAB
Codice a barre R

Device dimensions



F1 version



D2 version



C2 version

